Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	900	((MARK) near2 (JOHNSON)).INV.	US-PGPUB; USPAT	ADJ	ON	2007/08/23 08:12
L2	749	(active near3 matrix) near4 (device or apparatus) same (array near4 pixel\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 08:12
L3	33	((JASON) near2 (HECTOR)).INV.	US-PGPUB; USPAT	ADJ	ON	2007/08/23 08:12
L4	26	L2 and L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 08:12
L5	126	(amorphous near silicon near3 transistor) same (display near3 element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 08:12
L6	589	charg\$4 near3 ((second or other) near4 capacitor\$2) same serie\$2 same ((first or primary) near4 capacitor\$2) and gate and (source or drain) same transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 08:12
L7	1044	driving same (current) same (drive near3 transistor) same ground	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 08:12
L8	22870	current near3 ((light near3 emit\$4 near3 display) or "LED")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 08:12

L9	2	L8 and L7 and L6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 08:12
L10	6	(input near3 pixel) same (junct\$4 or intersect\$4 or union or join\$4 or hing\$4) same (((first or primary) and (second or other)) near4 capacitor\$2) and charg\$4 same ((second or other) near4 capacitor\$2) same voltage same pixel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 08:12
L11	59	((DAVID) near2 (FISH)).INV.	US-PGPUB; USPAT	ADJ	ON	2007/08/23 08:12
L12	150	voltage same (deriv\$4 or acquir\$4) same transistor same (storage or buffer or memory) same ((first or primary) near3 capacitor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 08:12
L13	10247	((first or primary) and (second or other)) near4 capacitor\$2 same gate and (source or drain) same transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 08:12
L14	848	(current near3 light near3 emit\$4 near3 display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 08:12
L15	12	L2 AND L14 AND L13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 08:12
L16		"20060077134"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 08:12

		EAGI Scarci				
L17	7	(input near3 pixel) same (junct\$4 or intersect\$4 or union or join\$4 or hing\$4) same (((first or primary) and (second or other)) near4 capacitor\$2) and charg\$4 same ((second or other) near4 capacitor\$2) and voltage same pixel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 08:12
L18	20	((MARK) near2 (CHILDS)).INV.	US-PGPUB; USPAT	ADJ	ON	2007/08/23 08:12
L19	1	L12 and L14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 08:12
L20	14	L2 and L18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 08:12
L21	10072	"KONINKLIJKE PHILIPS" .	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 08:12
L22	2	L21 and L15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON .	2007/08/23 08:12
L23	6	L2 and L1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 08:12
L24	3131	(345/76,82).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 08:12

L25	60	L2 and L24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 08:12
L26		(drive near3 transistor) same current same display and (gate near3 voltage) same (((first or primary) and (second or other)) near4 capacitor\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 08:12
L27	3	L8 and L24 and L6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ -	ON	2007/08/23 08:12
L28	14	driving same (current) same (drive near3 transistor) same ground and ((first or primary) near3 capacitor) same (transistor near3 off) and ((first or primary) near3 capacitor) same (stor\$5 or memory or buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 08:12
L29	6	driving same (current) same (drive near3 transistor) same ground and charg\$4 same ((first or primary) near3 capacitor) and (gate-source or (gate ajd source)) near3 voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 08:12
L30	53	L21 and L24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 08:12
L31	17	driving same (current) and (drive near3 transistor) same ground and charg\$4 same ((first or primary) near3 capacitor) and (gate-source or (gate ajd source)) near3 voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 08:12
L32	16262	345/60-100.ccls.	US-PGPUB; USPAT	ADJ	ON ⁻	2007/08/23 08:12

L33	0	345/60-100.ccls.and TFT	US-PGPUB; USPAT	ADJ	ON	2007/08/23 08:12
L34	1315229	(current.ab.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:12
L35	0	345/60-100.ccls.and TFT	US-PGPUB; USPAT	ADJ	ON	2007/08/23 08:12
L36	2296	L32 and L34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:18
L37	26745	(LED"lightemitting")and display and capacitor\$2near6 series same pixel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:12
L38	511	display and capacitor\$2 near6 séries same pixel redundent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:12
L39	26745	(LED"light emitting")and display and capacitor\$2near6 series same pixel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:12
L40	2829759	display and capacitor\$2 near\$6 series same pixel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:12

L41	419	display and capacitor\$2 near6 series same pixel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:12
L42	110869	display and capacitor\$2 near\$6series same pixel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:12
L43	0	display and capacitor\$2 near6 series same pixelredundent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:12
L44	201	345/82,8376.ccls. and capacitor with capacitor with gate with source	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:12
L45	28303	capacitor with capacitor with gate with source	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:12
L46	0	345/82,83,76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:12
L47	2667	315/169.3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:18

S1	746	(active near3 matrix) near4 (device or apparatus) same (array near4 pixel\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:48
S2	33	((JASON) near2 (HECTOR)).INV.	US-PGPUB; USPAT	ADJ	ON	2007/08/13 14:13
S3	20	((MARK) near2 (CHILDS)).INV.	US-PGPUB; USPAT	ADJ	ON	2007/08/13 14:14
S4	59	((DAVID) near2 (FISH)).INV.	US-PGPUB; USPAT	ADJ	ON	2007/08/13 14:14
S5	899	((MARK) near2 (JOHNSON)).INV.	US-PGPUB; USPAT	ADJ	ON	2007/08/21 16:11
S6	9996	"KONINKLIJKE PHILIPS"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:15
S7	837	(current near3 light near3 emit\$4 near3 display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:35
S8	10177	((first or primary) and (second or other)) near4 capacitor\$2 same gate and (source or drain) same transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:42
S9	6	(input near3 pixel) same (junct\$4 or intersect\$4 or union or join\$4 or hing\$4) same (((first or primary) and (second or other)) near4 capacitor\$2) and charg\$4 same ((second or other) near4 capacitor\$2) same voltage same pixel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:28
S10	150	voltage same (deriv\$4 or acquir\$4) same transistor same (storage or buffer or memory) same ((first or primary) near3 capacitor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:26

			· · · · · · · · · · · · · · · · · · ·			
S11	2	"20060077134"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:27
S12	1	S10 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:28
S13	7	(input near3 pixel) same (junct\$4 or intersect\$4 or union or join\$4 or hing\$4) same (((first or primary) and (second or other)) near4 capacitor\$2) and charg\$4 same ((second or other) near4 capacitor\$2) and voltage same pixel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:28
S14	12	S1 AND S7 AND S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:34
S15		S1 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:29
S16	26	S1 and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:33
S17	14	S1 and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:33

	r		· · · · · · · · · · · · · · · · · · ·			
S18	2	S6 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:34
S19	22749	current near3 ((light near3 emit\$4 near3 display) or "LED")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:35
S20	125	(amorphous near silicon near3 transistor) same (display near3 element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ ,	ON	2007/08/13 14:46
S21	1043	driving same (current) same (drive near3 transistor) same ground	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:37
S22		driving same (current) same (drive near3 transistor) same ground and charg\$4 same ((first or primary) near3 capacitor) and (gate-source or (gate ajd source)) near3 voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:50
S23	17	driving same (current) and (drive near3 transistor) same ground and charg\$4 same ((first or primary) near3 capacitor) and (gate-source or (gate ajd source)) near3 voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:50
S24	· 14	driving same (current) same (drive near3 transistor) same ground and ((first or primary) near3 capacitor) same (transistor near3 off) and ((first or primary) near3 capacitor) same (stor\$5 or memory or buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:50

		LAST Scarci				
S25	589	charg\$4 near3 ((second or other) near4 capacitor\$2) same serie\$2 same ((first or primary) near4 capacitor\$2) and gate and (source or drain) same transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:44
S26	33	(drive near3 transistor) same current same display and (gate near3 voltage) same (((first or primary) and (second or other)) near4 capacitor\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:45
S27	2	S19 and S21 and S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:46
S28	3100	(345/76,82).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:47
S29	3	S19 and S28 and S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:48
S30	60	S1 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON ·	2007/08/13 14:48
S31	53	S6 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:48
S32	16219	345/60-100.ccls.	US-PGPUB; USPAT	ADJ	ON	2007/08/21 16:16

S33	6233	345/60-100.ccls.and TFT	US-PGPUB; USPAT	ADJ	ON	2007/08/21 16:12
534	1314978	(current.ab.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:13
S36	6233	345/60-100.ccls.and TFT	US-PGPUB; USPAT	ADJ	ON	2007/08/21 16:18
S39	2286	S32 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:39
S40	110711	display and capacitor\$2 near\$6series same pixel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:40
S41	2827748	display and capacitor\$2 near\$6 series same pixel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:42
S42	419	display and capacitor\$2 near6 series same pixel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:42
S43	0	display and capacitor\$2 near6 series same pixelredundent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:43

S44	511	display and capacitor\$2 near6 series same pixel redundent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:44
S48	26695	(LED"lightemitting")and display and capacitor\$2near6 series same pixel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/08/21 16:48
S49	26695	(LED"light emitting")and display and capacitor\$2near6 series same pixel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:32
S50	0	345/82,83,76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:32
S51	28273	capacitor with capacitor with gate with source	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:34
S52	201	345/82,8376.ccls. and capacitor with capacitor with gate with source	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:35